

MATERIAL SAFETY DATA SHEET — 16 Sections

SECTION 1 — PRODUCT AND COMPANY IDENTIFICATION

Product Name and Code Insta-Peg Refractory Material Item No. 31000		Product Synonyms Refractory Peg Material	
Product Use Used by dental technicians and dental offices		Product Packages Plastic syringe	
Manufacturer's Name Vacalcom Company Inc			
Street Address 12960 Stonecreek Dr, Ste C			
City Pickerington	State OH	Country USA	Contact Information For General Product Details (Mon - Fri, 9:00 am - 5:00 pm EDT)
Zip Code 43147	Telephone Number 614-577-1945	Fax Number 614-759-4999	
Date MSDS Prepared February 1, 2009	MSDS Prepared By Josh Andrachek	Phone Number 614-577-1945	

SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	%	CAS Number	OSHA PEL	ACGIH TLV
Aluminosilicate Fibers		N/A	N/E	N/E
Silica		7631-86-9	0.1 mg/m ³	0.1 mg/m ³

SECTION 3 — HAZARDS IDENTIFICATION

Route of Entry <input checked="" type="checkbox"/> Skin Contact <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Eye Contact <input checked="" type="checkbox"/> Inhalation
(Emergency Overview) Appearance: Paste, slightly grey in color (Can exhibit various colors) Odor: None - WARNING: May be harmful if swallowed.
(Potential Health Effects) - Inhalation: Excessive inhalation of dried material over a prolonged period can result in lung damage. (Silicosis) - Eyes: May cause irritation. Direct contact can cause damage. - Ingestion: This material is not toxic. May do damage to lungs if breathing during accidentally swallowing. - Skin: Rubbing may cause irritation similar to sand or dirt

SECTION 4 — FIRST AID MEASURES

Skin Contact	Remove any contaminated clothes. Then wash with plenty of water for 15 - 20 minutes.
Eye Contact	Flush eyes with large amount of water for at least 15 minutes. Seek attention if irritation persists.
Inhalation	Move subject to fresh air. Give artificial respiration if breathing has stopped. See a physician.
Ingestion	May cause gastrointestinal tract irritation. See physician
Note: In severe cases contact physician and/or poison control center immediately. Have product or label available and follow advice given.	

Vacalcom Company Inc - MSDS #74016

Product Identifier - 3 -

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State Paste	Odor and Appearance Odorless, white to grey in color	Vapour Pressure N/A
Specific Gravity (H ₂ O = 1) 2.5 - 2.75	Vapor Density (Air = 1) N/A	
Evaporation Rate (Butyl Acetate = 1) N/E	Boiling Point (°C) N/E	
pH N/E	Solubility in water Insoluble in water	Other

SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If no, under which conditions?
Incompatibility with Other Substances <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If yes, which ones? Hydrofluoric acid, phosphoric acid and concentrated alkali
Reactivity, and under what conditions?	
Hazardous Decomposition or By-Products Thermal decomposition of binders or from the first heat of the product may release smoke, carbon monoxide, carbon dioxide, aldehydes and carboxylic acids. Use adequate ventilation or other precautions to eliminate exposure to vapors resulting from thermal decomposition of binder.	
Hazardous Polymerization Will not occur	

SECTION 11 — TOXICOLOGICAL INFORMATION

LD50 Information N/A
Chronic/Carcinogenicity

Vacalcom Company Inc - MSDS #74016

Product Identifier - 2 -

SECTION 5 — FIRE FIGHTING MEASURES

Flammable Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	General Hazards Material is not considered flammable or combustible.	
Means of Extinction N/A		
Flashpoint (°C) and Method N/A	Upper Flammable Limit (% by volume) N/A	Lower Flammable Limit (% by volume) N/A
Autoignition Temperature N/A	Explosion Data - Sensitivity to Impact None	Explosion Data - Sensitivity to Static Discharge
Special Fire Fighting Procedures None known		
Unusual Fire and Explosion Hazards		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures Personal Precautions: Provide adequate ventilation. Avoid breathing dust that is created while handling. Vacuum spilled material and try to avoid creating dust. Wipe down surfaces with wet cloth.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment Minimize dusts generation and accumulation from dried material. Avoid breathing dust. Avoid contact with eyes.
Storage Requirements No special requirements exist for storage but it is recommended to store in a dry location.
Other Precautions Avoid breathing dust that is created from dried material. Wear respirator if necessary. Continue to follow all MSDS warnings when handling empty containers. Do not reuse empty containers.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Specific Engineering Controls (such as ventilation, enclosed process) If necessary local ventilation should be designed and installed to minimize exposure to dried dust.
Personal Protective Equipment <input checked="" type="checkbox"/> Gloves <input checked="" type="checkbox"/> Respirator <input checked="" type="checkbox"/> Eye Footwear <input checked="" type="checkbox"/> Clothing Other
If checked, please specify type Gloves: Chemical resistant gloves are recommended if prolonged or repeated skin contact is likely Respirator: None required if good ventilation is maintained. Otherwise self contained breathing apparatus (pressure-demand, MSHA/NIOSH - approved or equivalent) that is suitable for up to 10 times that of exposure limit. Eye: Safety glasses should be worn. Clothing: Apron or other impervious cloth

Vacalcom Company Inc - MSDS #74016

Product Identifier - 4 -

SECTION 12 — ECOLOGICAL INFORMATION

Ecological Information No specific studies are available but the material is generally considered chemically inert in the environment. There are no known adverse effects to water.

SECTION 13 — DISPOSAL CONSIDERATIONS

Waste Disposal Material is not considered a hazardous waste as defined by RCRA. Avoid washing down drains as material can plug drains. Other state and local regulations may vary; consult local authorities as needed. Avoid waste material from becoming airborne during waste storage.

SECTION 14 — TRANSPORT INFORMATION

Special Shipping Information	
DOT Not regulated	IMDG
ATA	Other

SECTION 15 — REGULATORY INFORMATION

OSHA Considered hazardous under OSHA Hazard Communication	WHMIS "Controlled Product"
SARA 313 Delayed hazard	California Prop 65 This material contains a chemical known to the State of California to cause cancer.
SARA 311/312 Reportable Ingredients: None	TSCA All ingredients are listed in the TSCA inventory

SECTION 16 — OTHER INFORMATION

HMIS Hazard Rating	0 Health	1 Fire	0 Reactivity	Hazard: 4-Severe; 3-Serious; 2-Moderate; 1-Minimum
--------------------	----------	--------	--------------	--

DISCLAIMER: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Vacalcom Company Inc. The data on this sheet relates only to the specific materials designated herein. Vacalcom Company Inc assumes no legal responsibility for use or reliance upon these data.

Vacalcom Company Inc - MSDS #74016