

ÍSection 1: Identification

Product Identifier

Product Name Quickcheck Indicating Spray

Product Code 10050; 10060; 10070

Relevant identified uses of the substance or mixture and uses advised against

Recommended use Aerosol indicating and marking spray used in dental and other professional industries.

Details of the supplier of the safety data sheetManufacturer/Supplier Vacalon Company Inc

Manufacturer/Supplier Vacalon Company Inc 12960 Stonecreek Dr Ste C

Pickerington, OH 43147 USA

www.vacalon.com • info@vacalon.com

Telephone (General) 614-577-1945

Emergency telephone number

Hazmat Services Inc 800-373-7542 (USA)

(24 hour) 484-951-2432 (International)

Section 2: Hazard Identification

Classification of the substance or mixture

Hazard category • Flammable aerosol, Category 1, H222

• Gases under pressure - Liquefied gas, H280

Label elements

Signal word • Danger

Pictogram • GHS02, GHS04



Hazard statements

Extremely flammable aerosol

H280
 Contains gas under pressure: may explode if heated

Precautionary statements:

Prevention

P210 • Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211
Do not spray on an open flame or other ignition sources.
P251
Pressurized container: Do not pierce or burn, even after use.

Storage

P410+P412+P403 • Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Store in a well ventilated place.

Section 3. Composition/Information on Ingredients

Mixtures

Chemical characterization • Aerosol

Hazardous Components

Chemical Name	Identifiers	%	Classification
Isobutane	CAS: 75-28-5 EC Number: 200-857-2 EU Index: 601-004-00-00	90% to 96%	Flammable Gas 1; H220

VACALON

Section 4. First-Aid Measures

Description of first-aid measures

Move person to fresh air. If not breathing, give artificial respiration. Seek medical

attention if problems persist.

Skin • No special measures are necessary. In case of skin irritation seek medical attention.

Eye
 Flush eyes with plenty of water and seek medical attention.

Ingestion • Product does not lend itself to ingestion. Accidental ingestion of small quantities is

not expected to cause harm. Seek medical attention if problems persist.

Most important symptoms and effects, both acute and delayed

• No data available

Indication of any immediate medical attention and special treatment needed

No data available

Section 5. Firefighting Measures

Extinguishing media

Suitable extinguishing media

• Water haze or fog, Fire-extinguishing powder, Carbon Dioxide (CO2),

Foam, Gaseous extinguishing agents

Unsuitable extinguishing media

No data available

Special hazards arising from the substance or mixture

Unusual fire and explosion hazard

 Contents are under pressure. In case of fire if temperature rise above 50°C (122°F) it may cause bursting because of increased pressure from beating

• In case of fire, Carbon Monoxide (CO) may be released.

Advice for firefighters

• Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

• In case of fire cool surrounding endangered receptacles with water haze or fog.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

• Wear a self-contained breathing apparatus and appropriate personal protective equipment (PPE).

• Ensure adequate ventilation to remove vapors, fumes, dust, etc.

• Eliminate all ignition sources

Environmental precautions

Avoid run off to waterways and sewers

Methods and material for containment and cleaning up

Containment/Clean-up measures

• Ensure adequate ventilation and allow to evaporate. Wipe up any residue with absorbent cloth or paper towels.

Reference to other sections

• No data available

Section 7. Handling and Storage

Precautions for safe handling

Handling

- Handle and use with care.
- Keep away from heat and ignition sources.
- Use only in well ventilated areas.
- Fumes can combine with air to form explosive mixtures. Fumes are

Revision Date: 08.12.2024 Page 2 of 5 Format: HCS12/GHS SDS File No. 4501.01 Language: English (US)



heavier than air, so ensure good ventilation, especially at floor level.

Condition for safe storage, including any incompatibilities

Technical measures and storage conditions

• Keep away from sources of ignition - No Smoking.

• Contents under pressure: protect from sunlight and do not expose to high temperatures that can increase the risk of bursting.

• Store in a cool/low-temperature, well ventilated dry place away from heat and ignition sources.

Information about common storage area Additional storage information

• Store away from oxidizing agents

No data available

Section 8. Exposure Controls/Personal Protection

Control parameters

Occupational Exposure Limit Values Isobutane (CAS No. 75-28-5)

REL (USA) • 1900 mg/m³, 800 ppm TLV (USA) • Varies mg/m³, 1000 ppm EV (Canada) mag 008 •

Exposure controls

Engineering measures/controls

• General ventilation should be provided, as necessary, to maintain

exposures below REL's or TLV's.

Personal Protective Equipment

Respiratory • In case of insufficient ventilation, wear suitable respiratory equipment. Eye/Face • Wear safety glasses Hands Wear appropriate gloves

Skin/Body • Chemical resistant apron or other impervious cloth General industrial hygiene • Wash hands before breaks and at the end of work

considerations

Environmental exposure controls • Do not empty into drains or aquatic environment

Section 9. Physical and Chemical Properties

Appearance/Description	Red, green or white powder dispensed as an aerosol			
Odor	Odorless	Odor Threshold	No data available	
pН	No data available	Specific Gravity	< 1	
Melting Point/Range	No data available	Boiling Point/Range	-11°C (12.2°F)	
Water Solubility	Not miscible or difficult to mix	Viscosity	No data available	
Partition coefficient: n- octanol/water	No data available	Decomposition Temperature	No data available	
Volatility				
Vapor Pressure	App. 31 psig @ 21°C (70°F) (1600 mm Hg @ 21°C (70°F))	Vapor Density	Approx. 1.7	
Evaporation Rate	No data available	Explosive Properties	Product is not explosive. Vapors may form explosive mixtures with air.	
Flammability (solid, gas)	Extremely flammable aerosol			
Flash Point	<-18°C (0°F)	UEL	9.5%	
Auto-ignition Temperature	No data available	LEL	1.8%	

Section 10. Stability and Reactivity

Reactivity No data available

Chemical Stability • Stable at normal temperatures

Revision Date: 08.12.2024 Format: HCS12/GHS Page 3 of 5 SDS File No. 4501.01 Language: English (US)

Quickcheck Indicating Spray

VACALON

Possibility of hazardous reactions

• In case of insufficient ventilation can form explosive gas mixture with air.

• May react violently with oxidizing agents.

• Danger of receptacles bursting when heated.

Keep away from heat, sparks and ignition sources.

• Do not subject to temperatures above 50°C (122°F).

• Store away from oxidizing agents

Incompatible materials

• No data available

Hazardous decomposition products

• No data available

Section 11. Toxicological Information

Information on toxicological effects

Likely routes of exposure

Conditions to avoid

Acute/potential health effects

Inhalation

Skin

• Eyes, skin contact, inhalation

• If allowed to accumulate to concentrations that reduce oxygen below

safe breathing levels may cause breathing problems.

• Brief contact may cause slight irritation. Prolonged contact may cause more severe irritation with pain, local redness and swelling with possible

tissue destruction.

Eyes
 Causes severe irritation, experienced as discomfort or pain, excess

blinking and tear production, with redness and swelling.

Ingestion • Not a likely route of exposure. Ingestion of small amounts of material is

not expected to cause harm.

Sensitizing effects • No sensitizing effects are known.

Acute toxicity data

• No data available

Delayed and immediate effects as well as chronic effects from short and long term exposure

No data available

Carcinogenicity • IARC, NTP or OSHA identifies no component of this product that is

present at levels greater than or equal to 0.1% as a human carcinogen.

Section 12. Ecological Information

Toxicity

• No data available

Persistence and degradability

• No data available

Bioaccumulative potential
• Due to the distribution coefficient an accumulation in organisms is not

expected

Mobility in soil

Other adverse effects

• No data available
• No data available

Section 13. Disposal Considerations

Waste treatment methods

Recommendation

Contaminated packaging

Other

No data available

No data available

No data available

Section 14. Transport Information

Land Transport (DOT)

UN number • UN1950

UN proper shipping name • Aerosols, flammable

Transport hazard classes • 2.1

Note • Product may ship as "Limited Quantity" following proper DOT

Revision Date: 08.12.2024 Page 4 of 5 Format: HCS12/GHS SDS File No. 4501.01 Language: English (US)



regulations. Always consult appropriate department or agency for current regulations.

Marine Transport

UN number

UN proper shipping name Transport hazard classes

Marine pollutant

Note

• UN1950

Aerosols, flammable

• 2.1

• No

• Product may ship as "Limited Quantity" following proper marine transport regulations. Always consult appropriate department or agency for current regulations.

Air Transport

UN/ID number

UN proper shipping name Transport hazard classes

Transport nazaru dasses

Note

• UN1950

Aerosols, flammable

• 2.1

• Vacalon does not normally ship by air. Consult appropriate department or agency for current regulations.

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Hazardous Communications Standard (29CFR 1910.1200) SARA Hazard Categories

TSCA

CERCLA

• This product is considered hazardous

• Acute, Fire, Pressure (sudden release of)

• This product contains materials listed in the TSCA inventory or otherwise complies with TSCA requirements.

• No reportable ingredients

• No reportable ingredients

• This product contains no chemicals known by the state of California to

California Prop 65

cause cancer or birth defects.

Section 16. Other Information

US - SARA - Section 313

Last Revision Date • 08/12/2024 Preparation Date • 03/01/2015

Disclaimer

This document has been prepared using data from current manufacturer's SDS's of the component parts of the product and from other sources considered to be technically reliable. This document is not meant to be an all-inclusive document on worldwide hazard communication regulations and shall be used only as a guide. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment, in addition to complying with all Federal, State, Provincial and Local laws and regulations. The information contained in this SDS is furnished without warranty, expressed or implied, regarding the accuracy or results obtained from the use thereof. Vacalon assumes no legal responsibility for the use or reliance upon the data in this sheet. In no event will the manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information or the misuse of the product.

© Copyright 2021 Vacalon Company, Inc